

brut
Koproduktionshaus Wien GmbH
Karlsplatz 5
1010 Wien
Tel. technical office: +43 1 587 87 74 33



Technical Information as of 2009

Venue at the Künstlerhaus

Multifunctional space

Theatre space 12,90m x 18,30m with ground floor, first and second gallery (within the galleries 9,90m x 14,85m). Height to grid 7,00m. Different possibilities for set-up of stage and seating through five independent escape routes. Seating capacity: 80 - 200 people. The galleries can have various functions: audience area, stage, access to stage, lighting possibilities.

The standard seating of 5,20m depth has a capacity of 84 people on the first floor, and up to 44 seats on the first balcony. The big seating of 8,20m depth has a capacity of 112 on the first floor, and up to 54 people on the gallery. Standard platforms of 0,99x 1,98m with various legs (18cm, 36cm, etc up to 1st gallery) are available.

For lighting and decoration are various fixed bars available, with an easy and fast access with an lateral movable working platform (bridge) underneath the grid/ lights. This allows efficient working on lights and decoration. 9 hand chain hoists with two or four hanging points each 100kg are available.

Floor: black MDF- Floor on wood, on request dance floor (black/ white)
Curtains: back- and side masking: black molleton or black velvet

Brut Koproduktionshaus Wien GmbH / Technical Information

Light

SYSTEM

1	Console Compulite Spark 4D-LX with Monitor and remote control		
20	analogue dimmer	3000 W/ 3x 5000 W	(via DEMUX)
82	digital dimmer	3000 W	

PC (all with barn doors)

6	Strand	Cantata	1200 W
6	JULIAT	J310HPC	1200 W
10	Strand	Cadenza PC	2000 W
4	JULIAT	J329HPC	2500 W

FRESNEL (all with barn doors)

12	Strand	Cantata F	1000 W
6	JULIAT	J310HF	1200 W
12	Strand	Cadenza F	2000 W
4	JULIAT	J329 HF	2500 W

PROFILS

10	ETC Source four	50°	575W
10	ETC Source four	36°	575W
2	tube (lens)	10°	
2	ETC Source four zoom	25-50°	750W
7	Niethammer	HPZ111 (11°-28°)	1000 W
13	Niethammer	HPZ115 (15°-38°)	1000 W

MISCELLANEOUS

10	Strand floodlights	CODA	4x500 W
30	PAR64 CP60/61/62		1000 W
1	Pani	HV 2002	2000 W
1	Pani floodlights	HB2000	2000 W
2	Pani floodlights	HB1000	1000 W
1	Pani 18cm glass	BP 2000	2000 W
1	Kodak Ektapro 5000	Slide projector	300 W

Video (for both venues!)

PROJEKTORS

2	DLP Projector Panasonic, Type: PT-D5600E	5000 Ansilumen
2	DLP Projector Panasonic, Type: PT-D3500E	3500 Ansilumen
2	NEC VT800	2700 Ansilumen
1	DLP Projector Benq PB 2140	1700 Ansilumen
1	DLP Projector Benq PB 7210	1700 Ansilumen
2	Optics Panasonic, Type: 1,8 - 2,5	: 1 Standard
2	Optics Panasonic, Type: 2,5 - 4,0	: 1 DLE2 00
1	Optics Panasonic, Type: 3,4 - 4,5	: 1 DLE 310
1	Optics Panasonic, Type: 1,3 - 1,8	: 1 DLE 100
1	Optics Panasonic, Type: 0,8	: 1 no zoom- DLE050

Brut Koproduktionshaus Wien GmbH / Technical Information

PLAYER, ACCESSORIES

- 1 Screen Opera warm white ("opera" by Gerriets) 7m (h) x 9,80 m (b)
- 1 Screen Opera dark grey ("show" by Gerriets) 7m (h) x 9,80 m (b)
- 1 Stumpfl screen front projection 16:9 600 x 338cm
- 1 Stumpfl screen front projection 4:3 390 x 290cm
- 1 dark grey subtitle screen 2,20m x 70cm
- var. some small screens various sizes 1- 2m x 1,60 - 2,4m
- 1 Extron ISS- 506 Videoswitch with preview monitor
- 1 DVD- Player Denon DNV 210
- 3 DVD Player Pioneer, Type: DV-300-S
- 1 DVD- Player Pioneer DV- 340 OS-Menue-free
- 1 portable DVD-Player Philips
- 1 Edirol V-4 Videomixer
- 1 3x 7,5" TFT row Numak, Type:VM-03MK2
- 2 "Blacky" external shutter manual remote/ DMX
- 1 7,5" TFT Screen
- var. cables, adaptors (e.g. 5x30m BNC, 6x20m BNC, 1x RGBHV 30m, 4x 20m VGA, 4x 10m S-Video)

Sound

MIXING BOARDS

- | | | |
|---|-------------------------|----------|
| 1 | Yamaha DM 1000 V.2 | Digital |
| 1 | Soundcraft GB4 | Analogue |
| 1 | Mackie VLZ 1604 | Analogue |
| 1 | Allen&Heath GL2 14/4/2 | Analogue |
| 1 | Behringer Eurorack 1604 | Analogue |
| 1 | Behringer Xenyx 802 | Analogue |

PLAYER

- | | | |
|---|----------------|--------------------|
| 1 | Denon DN 615 | CD-Player |
| 1 | Sony CDP XE320 | CD-Player |
| 1 | Sony MDS JE640 | MD-Player |
| 1 | Sony K 790 ES | Tape deck (single) |
| 1 | Sony 57 ES | DAT-Recorder |

SPEAKER

- | | | |
|---|---------------------------|--------------------------|
| 4 | Kling & Freitag CA1515-9 | active with hanging gear |
| 4 | Kling & Freitag CA1001 | active |
| 2 | Kling & Freitag SW118E-SP | active |
| 4 | RCF ART-310 A | active |
| 1 | RCF ART-705 AS Sub | active |

OUTBOARD EQUIPMENT

- | | | |
|---|----------|-----------|
| 1 | DBX 1231 | Grafik EQ |
| 1 | DBX 231 | Grafik EQ |
| 1 | DBX 131 | Grafik EQ |

Brut Koproduktionshaus Wien GmbH / Technical Information

DJ-EQUIPMENT

1	Pioneer CMX 3000	Double CD-Player
2	Technics 1210 MKII with system	
1	Pioneer DJM 600	DJ-Mixer
1	Technics DJ-headphones	

MICROPHONE

3	AKG	C 300 BlueLine	
2	AKG	C 97	Lavalier- Capsule for C 391
1	AKG	C 91	Condenser, cardoid
2	AKG	C2000B	
1	AKG	C547BL	
6	SHURE	SM 58	
4	SHURE	beta 58	
3	SHURE	SM 57	
1	SHURE	BETA52A	
5	AUDIX	D2	
1	AUDIX	ADX 60	Grenzfläche
4	SENNHEISER	EW300G2	Wireless microphone (Hand- and pocket emitter)

ADDITIONAL

2	Klotz "X"	DI-Box active
13	Palmer Pan-01	DI-Box passive
2	Whirlwind 16/4	Multicore incl. Stagebox, 30 m
1	Whirlwind 24/8	Multicore incl. Stagebox, 40 m
2	Table stand	
20	Mic stand	
1	BD-Mic stand	
10	notes stand (optional: notes light)	
var.	lengths of XLR-cables and signal adaptors	

This inventory list is subject to alterations. Please note there are two venues played simultaneous. (technik@brut-wien.at)